Printing date 15.05.2015

*

*

Version No. 2

Revision: 15.05.2015

SECTION 1: Identification of the substance/mixture and of the compo	any/undertaking
· 1.1 Product identifier	
· Trade name: <u>Arturo EP 7760 Comp. B</u>	
\cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against	
· Sector of Use	
SU19 Building and construction work SU22 Professional uses: Public domain (administration, education, entertainment, so For professional use only.	ervices, craftsmen)
• Product category PC9a Coatings and paints, thinners, paint removers	
• Application of the substance / the mixture 2-C EP Sealant, transparent, matt (composition)	nent B)
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Unipro bv Bouwstraat 18 NL - 7483 PA Haaksbergen Tel. +31 (0)53 573 73 73 Fax: +31 (0)53 573 73 33 	
• Further information obtainable from: KMA-department E-Mail: msds.info@uzin-utz.com	
• 1.4 Emergency telephone number: Medical emergencies: NVIC +31 (0)30 274 88 88 Transportation emergencies: +49 621 60 43 333	
SECTION 2: Hazards identification	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS09 environment 	
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
<i>Eye Irrit.</i> 2 <i>H319 Causes serious eye irritation.</i>	
Skin Sens. 1 H317 May cause an allergic skin reaction.	
• Classification according to Directive 67/548/EEC or Directive 1999/45/EC	
Xi; Irritant	
R36/38: Irritating to eyes and skin.	
Xi; Sensitising	
R43: May cause sensitisation by skin contact.	
N; Dangerous for the environment	
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aqu	uatic environment.
• Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Cla preparations of the EU" in the latest valid version.	ssification guideline for (Contd. on page 2)

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

Trade name: Arturo EP 7760 Comp. B

· 2.2 Label eleme	ents
	ding to Regulation (EC) No 1272/2008
	classified and labelled according to the CLP regulation.
	ams GHS07, GHS09
Signal word Wo	
Hazard-determ	ining components of labelling:
	t: bisphenol-F-(epichlorhydrin); epoxy resin (with an average molecular weight \leq 700)
1,6-Hexanediol	diglycidyl ether
reaction produc	t: bisphenol-A-(epichlorhydrin) epoxy resin (with an average molecular weight \leq 700)
· Hazard stateme	nts
H315 Causes sk	in irritation.
H319 Causes se	prious eye irritation.
	e an allergic skin reaction.
	equatic life with long lasting effects.
• Precautionary s	statements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P302+P352	1 2 3 1
P333+P313	
P305 + P351 + P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
Additional info	rmation:
	ins epoxy constituents. May produce an allergic reaction.
· 2.3 Other hazar	

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 9003-36-5	reaction product: bisphenol-F-(epichlorhydrin); epoxy resin (with	50-75%
Reg.nr.: 01-2119454392-40	an average molecular weight ≤700)	
	🗙 Xi R36/38; 🗙 Xi R43; 🏪 N R51/53	
	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 16096-31-4	1,6-Hexanediol diglycidyl ether	10 - <25%
EINECS: 240-260-4	🗙 Xi R36/38; 🗙 Xi R43	
Reg.nr.: 01-2119463471-41	<u>R5</u> 2/53	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (with	10 - <25%
NLP: 500-033-5	an average molecular weight ≤700)	
Reg.nr.: 01-2119456619-26	🗙 Xi R36/38; 🗙 Xi R43; 🏪 N R51/53	
	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

• Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

GB

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

Trade name: Arturo EP 7760 Comp. B

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed** Also observe the safety data sheet of component B.

<u>SECTION 5: Firefighting measures</u>

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO_{2} powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Wear suitable protective clothing, gloves and eye/face protection. Immediately remove all soiled and contaminated clothing Keep away from foodstuffs, beverages and feed.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- *Protect from humidity and water. Protect from frost.*

(Contd. on page 4)

⁻ GB

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

(Contd. of page 3)

Trade name: Arturo EP 7760 Comp. B

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wear suitable protective clothing, gloves and eye/face protection. Keep away from foodstuffs, beverages and feed. Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary. Ensure that room is well-ventilated during processing.
- · Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Material of gloves Butyl rubber, BR Nitrile rubber, NBR Recommended thickness of the material: $\geq 0.5 \text{ mm}$ · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· 9.1 Information on basic physical and chemical properties · General Information · Appearance: Fluid Form:

1 0/110		
Colour:	Yellowish	
· Odour:	Weak, characteristic	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:		
· Flash point:	> 150 °C	
· Ignition temperature:	> 200 °C	
· Self-igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
	(Contd. on page 5)	

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

Trade name: Arturo EP 7760 Comp. B

		(Contd. of page 4)
· Vapour pressure at 20 °C:	< 0.1 hPa	
· Density at 20 °C:	1.14-1.18 g/cm ³	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
 Viscosity: Dynamic at 20 °C: 9.2 Other information 	1300-1700 mPas No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- May produce violent reactions with bases and numerous organic substances including alcohols and amines. Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

- · 10.6 Hazardous decomposition products:
- Irritant gases/vapours

At elevated temperatures hazardous decomposition products such as carbon dioxide, carbon monoxide, smoke or nitric oxids may be evolved.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitisation: Sensitisation possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- \cdot Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Toxic for aquatic organisms

(Contd. on page 6)

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

Trade name: Arturo EP 7760 Comp. B

Also poisonous for fish and plankton in water bodies.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

*

The product contains materials that are harmful to the environment. Do not allow product to reach ground water, water course or sewage system. Mix both product components, allow to harden, then dispose of as construction waste. Disposal should be in accordance with local, state or national legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Bisphenol-A-epoxy resin (averag
·IMDG	molecular weight ≤700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Bisphenol-A-epoxy resin (averag molecular weight ≤700)), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (Bisphenol-A-epoxy resin (averag molecular weight ≤ 700))
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
\cdot Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
· Danger code (Kemler):	90
	(Contd. on page

(Contd. of page 5)

Printing date 15.05.2015

Version No. 2

Revision: 15.05.2015

Trade name: Arturo EP 7760 Comp. B

	(Contd. of page 6
· EMS Number:	F-A,S-F
· 14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	E
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A-epoxy resin (average molecular weight ≤ 700)), 9, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Recommended restriction of use For professional use only.

· Contact:

Jan Kamphuis, Tel. +31 (0)53 5 73 73 51 email: msds.info@uzin-utz.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

 \cdot * Data compared to the previous version altered.